

Defendants shall maintain all records necessary to document their compliance with all terms of this Decree. The Defendants shall also maintain any and all records required by or developed under this Consent Decree. [§VIII Compliance ¶ 67]	¶ 65				
Defendants shall appoint a consent Decree coordinator to oversee compliance with this Decree, and to serve as a point of contact. [§VIII Compliance ¶ 68]	¶ 65				
During all times while the Court maintains jurisdiction over this action, the United States shall have access to, and receive copies of, any documents and any databases necessary to evaluate compliance with this Decree. The United States shall have access to all staff and facilities as necessary to evaluate the Defendants' compliance with the terms of this Decree. [§VIII Compliance ¶ 69]	¶ 65				
The Defendants shall immediately provide copies of, and explain the terms of this Decree to all current and future employees or other staff of SPC, SDF, TDF, RDF, KYF, and SDDF, in order to ensure that they understand the requirements of this Decree and the necessity for its strict compliance. All such individuals shall sign a statement indicating that they have read and understand this Decree and acknowledge receiving an individual copy of the Decree. [§VIII Compliance ¶ 70]	¶ 65				
Except where otherwise specifically indicated, the Defendants shall implement all provisions of this Decree within 90 days after entry of this Decree. [§VIII Compliance ¶ 71]	¶ 65				

GUAM

P. O. Box 6754 • Tamuning, Guam 96931
Tel.: (671) 637-8959 • Fax: (671) 637-7996



Service Guaranteed

SAIPAN

P. O. BOX 10001, PMB 420 Saipan, MP 96950
Telephone: (670) 235-3041 • Fax: (670) 233-7679
TIME:

SERVICE RECORD No. 16061

Customer Name: D.O.C Date: 08-23-99

Contact Person (s): Mr. Delos Reyes (Officer)

Service Location: Sumpe Saipan

Mailing Address: _____

Telephone No.: _____

TYPE OF SERVICE ☐ Commercial ☐ Home Owner ☐ Hotel ☐ Termite Shield ☒ Others _____
TYPE OF PEST ☒ Ants ☒ Roaches ☒ Rodents ☒ Flies ☐ Termites ☐ Others _____

Instructions: _____

Technician Comments: Wasp nest removed through out the corner
near areas within perimeter band sprayed
Acron area, and hall ways. installed rodent
bait in bait stations. band sprayed cell
or common cell blocks. installed rodent bait
along perimeter gate line as needed.

MATERIALS USED

weather blocks.
wasp nest

AMOUNT USED

24 pce.
1.000

Customer: D.O.C

Print Name: ALBERT S. DELA REYES

Technician: jean

Time In: _____ Time Out: _____

THIS IS NOT AN INVOICE

GUAM

P. O. Box 6754 • Tamuning, Guam 96931
Tel.: (671) 637-8959 • Fax: (671) 637-7996



Service Guaranteed

SAIPAN

P. O. BOX 10001, PMB 420 Saipan, MP 96950
Telephone: (670) 235-3041 • Fax: (670) 233-7679
TIME:

No 4444

SERVICE RECORD

Customer Name: D.O.C 07-22-98

Contact Person (s): Mr. Delos Reyes

Service Location: Susupe

Mailing Address: _____

Telephone No.: _____

TYPE OF SERVICE ☐ Commercial ☐ Home Owner ☐ Hotel ☐ Termite Shield ☒ Others

TYPE OF PEST ☒ Ants ☒ Roaches ☒ Rodents ☒ Flies ☐ Termites ☐ Others

Instructions: _____

Technician Comments: Inspected through out the interior of the Admin. building sprayed entire interior. Installed rodent bait along perimeter gate line.

MATERIALS USED

Weather blocks.
Suspend Sc.

AMOUNT USED

24 pch.
1500.

Customer: D.O.C [Signature]

Print Name: ALBERT C. DURETAS

Technician: Sean

Time In: _____ Time Out: _____

THIS IS NOT AN INVOICE

GUAM

P. O. Box 6754 • Tamuning, Guam 96931
Tel.: (671) 637-8959 • Fax: (671) 637-7996



Service Guaranteed

SAIPAN

P. O. BOX 10001, PMB 420 Saipan, MP 96950
Telephone: (670) 235-3041 • Fax: (670) 233-7679
TIME:

SERVICE RECORD No 44427

Customer Name: D.O.C 06.30.05

Contact Person (s): Albert Delos Reyes

Service Location: Suspan

Mailing Address: _____

Telephone No.: _____

TYPE OF SERVICE ☐ Commercial ☐ Home Owner ☐ Hotel ☐ Termite Shield ☒ Others _____
TYPE OF PEST ☒ Ants ☒ Roaches ☒ Rodents ☐ Flies ☐ Termites ☐ Others _____

Instructions: _____

Technician Comments: Inspected throughout the en

the exterior perimeter. Installed
rodent bait along the perimeter and
bait station. bait sprayed all the
D.O.C facility.

MATERIALS USED

Inspired sc
weather blocks.

AMOUNT USED

1500
41 pos.

Customer: Albert S. Delos Reyes

Print Name: ALBERT S. DELOS REYES

Technician: Sean

Time In: _____ Time Out: _____

THIS IS NOT AN INVOICE

GUAM

P. O. Box 6754 • Tamuning, Guam 96931
Tel.: (671) 637-8959 • Fax: (671) 637-7996



Service Guaranteed

SAIPAN

P. O. BOX 10001, PMB 420 Saipan, MP 96950
Telephone: (670) 235-3041 • Fax: (670) 233-7679
TIME:

SERVICE RECORD No 4457

Customer Name: Doc 05-26-05

Contact Person (s): Albert

Service Location: Saipan

Mailing Address: _____

Telephone No.: _____

TYPE OF SERVICE ☐ Commercial ☐ Home Owner ☐ Hotel ☐ Termite Shield ☒ Others Termite
TYPE OF PEST ☒ Ants ☒ Roaches ☐ Rodents ☐ Flies ☐ Termites ☐ Others _____

Instructions: _____

Technician Comments: Inspected through out the entire

exterior perimeter, found and treated
for ants along the perimeter wall struc-
ture. baited for colony ants at the over-
head of the Doc Building, under lighting
fixtures. band sprayed all common areas
at per preventive maintenance.

MATERIALS USED

Imperial oc.
Terro and bait

AMOUNT USED

1 can
2 1/2 can.

Customer: Albert Doc

Print Name: ALBERT S. PL. REYES

Technician: Sam

Time In: _____ Time Out: _____

THIS IS NOT AN INVOICE

DEPARTMENT OF PUBLIC SAFETY DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/26/05	MSF Control			Out For Refill

Inspected By: _____
Incoming Officer - Print & Sign

Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/30-31/05	MSF Control	— 0	002080537	Out For Refill

Inspected By: _____
Incoming Officer - Print & Sign

Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/30-31/05	MSF Control	002080537	002080533	Mask Scratched
"	"	"	"	"

Inspected By: _____
Incoming Officer-Print & Sign

Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/30-31/05	MSF Control	0002080566-12	0002080566	Mask Scratched
"	"	"	"	"

Inspected By: _____
Incoming Officer-Print & Sign

Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
9/18/05	MSF Control	20	0001202025	Scratch Mask
"	"	"	"	"

Inspected By: _____
Incoming Officer-Print & Sign

Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

S/N: 2080566

< New Tank >

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
09/22/05	MSF CONTROL	20	2080566	Mask Scratch
09.22.23.05	" "	" "	" "	" "

Inspected By: Cor. [Signature]
Incoming Officer - Print & Sign

Cor. Regina V. Pangrehinan
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
09.23.05	MSF Control	20	2080566	Mask Scratch

Inspected By: _____
Incoming Officer - Print & Sign

Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
09.25.26.2005	MSF: CONTROL	20	2080566	Mask Scratch.

Inspected By _____
Incoming Officer-Print & Sign

Cor. Regina V. Pangrehinan
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
09.26.27.2005	MSF CONTROL	20	2080566	Mask Scratch
09.27.05	MSF Control	20	2080566	M. Scratched

Inspected By: Cor. [Signature]
Incoming Officer-Print & Sign

Cor. Regina V. Pangrehinan
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
09.27.05	MSF CONTROL	20	2080566	M. Scratched
09.29-28-05	MSF CONTROL	20	2080566	Mask Scratched

Inspected By: Cor. Regina V. Pangrehinan
Incoming Officer-Print & Sign

Cor. [Signature]
Outgoing Officer-Print & Sign

DEPARTMENT OF CORRECTIONS

BREATHING APPARATUS INSPECTION SHEET

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
6-20-05	Control III (Casing only)			out for Refill
06/20/05	Control III km casing only			out for Refill

Inspected By:

Incoming Officer - Print & Sign

Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
06/20/05	Control III km - (Casing only)			Out for Refill

Inspected By:

Incoming Officer - Print & Sign

Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
06/22/05	MSF Control	-0-	N/A	Out For Refill

Inspected By:

Incoming Officer - Print & Sign

Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
06/22-23/05	MSF Control	/	N/A	Out For Refill
6/22-23/05	" "	/	/	" " "

Inspected By:

Incoming Officer - Print & Sign

Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
6/23/05	MSF - Control	/	/	out for Refill
06-23-05	MSF - Control #3	/	/	Out for Refill

Inspected By:

Incoming Officer - Print & Sign

Outgoing Officer - Print & Sign

DEPARTMENT OF CORRECTIONS

BREATHING APPARATUS INSPECTION SHEET

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
06/23-24/05	MSF Control	—	—	Out for Refill
06/23-24/05	MSF Control	—	—	Out for Refill

Inspected By: Cos. Regina V. Pangelinan
Incoming Officer - Print & Sign

COT. STACY D. GUERRA
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
06/24/05	MSF Control	—	—	OUT FOR REFILL
06/25-05	MSF Control	—	—	" " "

Inspected By: [Signature]
Incoming Officer - Print & Sign

[Signature]
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
06/25-05	MSF Control	—	—	Out for Refill
06/25-26/05	MSF Control	—	—	Out for Refill

Inspected By: COS. M. Appleby
Incoming Officer - Print & Sign

[Signature]
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
06/26/05	MSF Control	—	—	Out For Refill
06/26/05	MSF Control	—	—	Out for Refill

Inspected By: Cos. Regina V. Pangelinan
Incoming Officer - Print & Sign

COT. M. C. Appleby
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
06/26-27/05	MSF Control	—	—	Out For Refill
06/26-27/05	MSF Control	—	—	" " "

Inspected By: Cos. Regina V. Pangelinan
Incoming Officer - Print & Sign

COT. M. C. Appleby
Outgoing Officer - Print & Sign

DEPARTMENT OF CORRECTIONS

BREATHING APPARATUS INSPECTION SHEET

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
6/27/05	MSF Control	—	—	Out For Refill
6/27-28/05	MSF Control	—	—	Out For Refill

Inspected By: CO3. M.C. Appleby
Incoming Officer - Print & Sign

CO3. Regina V. Pangeloran
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
06/28/05	MSF Control	—	—	Out For Refill
06/28/05	MSF Control	—	—	Out For Refill

Inspected By: CO3. Regina V. Pangeloran
Incoming Officer - Print & Sign

CO3. M.C. Appleby
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
06/28-29/05	MSF Control	—	—	Out For Refill
06/29/05	MSF Control	—	—	Out For Refill

Inspected By: CO3. Regina V. Pangeloran
Incoming Officer - Print & Sign

CO3. M.C. Appleby
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
06/29-30/05	MSF Control	—	—	Out For Refill
06/29-30/05	MSF Control	—	—	Out For Refill

Inspected By: CO3. Regina V. Pangeloran
Incoming Officer - Print & Sign

CO3. Regina V. Pangeloran
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
06/30-05	MSF Control	—	—	Out For Refill
06/30-05	MSF Control	—	—	Out For Refill

Inspected By: Regina V. Pangeloran
Incoming Officer - Print & Sign

CO3. Regina V. Pangeloran
Outgoing Officer - Print & Sign

DEPARTMENT OF CORRECTIONS

BREATHING APPARATUS INSPECTION SHEET

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
06/30-01/05	MSF Control	—	—	Out for Refill
06/30-01/05	MSF Control	—	—	Out for Refill

Inspected By:

Incoming Officer - Print & Sign

Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/1/05	MSF Control	—	—	Out for Refill
07/01/05	MSF Control	—	—	Out for Refill

Inspected By:

Incoming Officer - Print & Sign

Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/01-02/05	MSF Control	—	—	Out for Refill
01-01-02-05	MSF Control	—	—	Out for Refill

Inspected By:

Incoming Officer - Print & Sign

Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07-02-05	MSF Control	—	—	Out for Refill
07-02-05	MSF Control	—	—	Out for Refill

Inspected By:

Incoming Officer - Print & Sign

Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
7/02/05	MSF Control	—	—	Out for Refill

Inspected By:

Incoming Officer - Print & Sign

Outgoing Officer - Print & Sign

DEPARTMENT OF CORRECTIONS
BREATHING APPARATUS INSPECTION SHEET

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/03/05	MSF Control	—	—	Out For Refill
07/03/05	MSF Control	—	—	Out For Refill

Inspected By: CO3. M. Appleby
Incoming Officer – Print & Sign

CO2 Ryan Sabmon
Outgoing Officer – Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/03-04/05	MSF Control	—	—	Out For Refill
07/03-4/05	" "	—	—	Out for Refill

Inspected By: CO3. R. V. Fangelinan
Incoming Officer – Print & Sign

CO3. M. Appleby
Outgoing Officer – Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/04-05/05	MSF Control	—	—	Out For Refill
07/04-05/05	" "	—	—	" "

Inspected By: CO3. R. V. Fangelinan
Incoming Officer – Print & Sign

CO3. M. C. Appleby
Outgoing Officer – Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/04-05/05	MSF Control	—	—	OUT FOR REFILL
07/05/05	" "	—	—	" "

Inspected By: CO3. R. V. Fangelinan
Incoming Officer – Print & Sign

CO3. Regina V. Fangelinan
Outgoing Officer – Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
7/5-6/05	MSF Control	—	—	OUT FOR Refill

Inspected By: _____
Incoming Officer – Print & Sign

CO3. R. V. Fangelinan
Outgoing Officer – Print & Sign

DEPARTMENT OF PUBLIC SAFETY DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
7.7.8.05	MSF Control	—	—	Out For Refill
07/07-08/05	MSF Control	N/A	N/A	Out for Refill

Inspected By: COIT. M. Appleby
Incoming Officer - Print & Sign

COIT. M. Appleby
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/08/05	MSF Control	—	—	Out For Refill
07/08/05	MSF Control	—	—	Out For Refill

Inspected By: COIT. M. Appleby
Incoming Officer - Print & Sign

COIT. M. Appleby
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/08/05	CONTROL III	—	—	Out For Refill
07/08-09/05	MSF Control	—	—	90

Inspected By: COIT. M. Appleby
Incoming Officer-Print & Sign

COIT. M. Appleby
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/09/05	MSF Control	—	—	Out For Refill

Inspected By: _____
Incoming Officer-Print & Sign

COIT. M. Appleby
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/10/05	MSF Control	—	—	Out For Refill

Inspected By: _____
Incoming Officer-Print & Sign

COIT. M. Appleby
Outgoing Officer-Print & Sign

**DEPARTMENT OF PUBLIC SAFETY
DIVISION OF CORRECTION
BREATHING APPARATUS INSPECTION SHEET**

REMARKS	Out for Refill	PSI	N/A	LOCATION	MSF Control	DATE	07/11/05
---------	----------------	-----	-----	----------	-------------	------	----------

Inspected By: _____
Incoming Officer - Print & Sign

REMARKS	Out for Refill	PSI		LOCATION	MSF Control	DATE	7/13/05
---------	----------------	-----	--	----------	-------------	------	---------

Inspected By: *COIT. M. C. Appleby*
Incoming Officer - Print & Sign

REMARKS	Out for Refill	PSI		LOCATION	MSF Control	DATE	07/13-14/05
---------	----------------	-----	--	----------	-------------	------	-------------

Inspected By: *COIT. M. C. Appleby*
Incoming Officer - Print & Sign

REMARKS	Out for Refill	PSI		LOCATION	MSF Control	DATE	7/14/05
---------	----------------	-----	--	----------	-------------	------	---------

Inspected By: *COIT. M. C. Appleby*
Incoming Officer - Print & Sign

REMARKS	Out for Refill	PSI		LOCATION	MSF Control	DATE	7/14/05
---------	----------------	-----	--	----------	-------------	------	---------

Inspected By: *COIT. M. C. Appleby*
Incoming Officer - Print & Sign

REMARKS	Out for Refill	PSI		LOCATION	MSF Control	DATE	7/14/05
---------	----------------	-----	--	----------	-------------	------	---------

DEPARTMENT OF PUBLIC SAFETY DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
7/15/05	MSF Control			Out for Refill
7/15/05	MSF Control			Out for Refill

Inspected By: COB. M. Appleby
Incoming Officer - Print & Sign

COB. S. Alguerrero
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/15-16/05	MSF Control			Out for Refill

Inspected By: _____
Incoming Officer - Print & Sign

COB. M. Appleby
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/16-17/05	MSF Control			Out for Refill

Inspected By: COB. S. Alguerrero
Incoming Officer-Print & Sign

COB. M. Appleby
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
06/17/05	MSF Control			Out for Refill
06/17/05	" "			" "

Inspected By: R. Pangelinan
Incoming Officer-Print & Sign

COB. S. Alguerrero
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
7.17.18.05	MSF Control			Out for Refill

Inspected By: COB. R. Pangelinan
Incoming Officer-Print & Sign

COB. S. Alguerrero
Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/18/05	MSF Control			out for Refill
07/18/05	" "			" " "

Inspected By: C03 R. Pangelinan
Incoming Officer - Print & Sign

C03 R. Pangelinan
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/18/05	MSF Control			out for Refill
07/18-19/05	" "			" "

Inspected By: C03 M. Appleby
Incoming Officer - Print & Sign

C03 R. Pangelinan
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/19/05	MSF Control			Out For Refill
07/20/05	" "			" "

Inspected By: C03 Ramon A. Haeoy
Incoming Officer-Print & Sign

C03 M. Appleby
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/20/05	MSF Control			Out for Refill
07/20-21/05	MSF Control			Out For Refill

Inspected By: C03 M. Appleby
Incoming Officer-Print & Sign

C03 Ramon A. Haeoy
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/21/05	MSF Control			Out For Refill

Inspected By: C03 M. Appleby
Incoming Officer-Print & Sign

C03 M. Appleby
Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/25-26/05	MSF Control			Out for Refill
07/26/05	" "			" "

Inspected By: Cor J. D'ios
Incoming Officer - Print & Sign

Cor J. D'ios
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/26/05	MSF Control			Out for Refill

Inspected By: Cor J. D'ios
Incoming Officer - Print & Sign

Cor J. D'ios
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/26-27/05	MSF Control			Out for Refill

Inspected By: _____
Incoming Officer-Print & Sign

Cor J. D'ios
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS

Inspected By: _____
Incoming Officer-Print & Sign

Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/29/05	MSF Control			Out for Refill
" "	" "			" "

Inspected By: _____
Incoming Officer-Print & Sign

Cor J. D'ios
Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/22/05	MSF Control	—	—	Out for Refill

Inspected By: _____
Incoming Officer - Print & Sign

Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/23/05	MSF Control	—	—	Out For Refill

Inspected By: _____
Incoming Officer - Print & Sign

Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/24/05	MSF Control	—	—	Out for Refill
07/24/05	MSF Control	—	—	cc cc

Inspected By: Cos R. Hooey
Incoming Officer-Print & Sign

Cos R. Pangehna
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
07/24/05	MSF Control	—	—	out for 7/24/05

Inspected By: _____
Incoming Officer-Print & Sign

Cos R. Hooey
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
7/28/05	MSF	—	—	out / Refill
7/28/05	MSF Control	—	—	11 11

Inspected By: Cos R. Hooey
Incoming Officer-Print & Sign

Cos R. Hooey
Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/01-02/05	MSF Control	N/A		Out For Refill

Inspected By: _____
Incoming Officer - Print & Sign

COB. M. Appleby
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/02-08/03/05	MSF Control			Out For Refill

Inspected By: _____
Incoming Officer - Print & Sign

COB. M. Appleby
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/04-05/05	CORRY III Rm.	CASINO	NO PRESENT	TAKEN FOR REFILL
08/06/05	MSF Control			Out for Refill

Inspected By: COB. M. Appleby
Incoming Officer-Print & Sign

J.M. WILLIAMS
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/06-07/05	MSF Control			Out For Refill

Inspected By: _____
Incoming Officer-Print & Sign

COB. M. Appleby
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/08-09/05	MSF Control			Out For Refill

Inspected By: _____
Incoming Officer-Print & Sign

COB. M. Appleby
Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/09-10/05	MSF Control	N/A		Out For Refill

Inspected By: _____
Incoming Officer - Print & Sign

COIT. M. C. Appleby
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/13-14/05	MSF Control			Out For Refill

Inspected By: _____
Incoming Officer - Print & Sign

COIT. M. C. Appleby
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/15-16/05	MSF Control			Out For Refill

Inspected By: _____
Incoming Officer-Print & Sign

COIT. M. C. Appleby
Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS

Inspected By: _____
Incoming Officer-Print & Sign

Outgoing Officer-Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/18-19/05	MSF Control			Out For Refill
08/18-19/05	MSF Control			" " "

Inspected By: _____
Incoming Officer-Print & Sign

COIT. M. C. Appleby
Outgoing Officer-Print & Sign

DEPARTMENT OF PUBLIC SAFETY DIVISION OF CORRECTION

BREATHING APPARATUS INSPECTION SHEET

DOC

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/20/05	MSF Control	—	—	Out for Refill
08/20/05	MSF Control	—	—	Out for Refill

Inspected By: COB. M. Appleby
Incoming Officer - Print & Sign

[Signature]
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/20-21/05	MSF Control	—	—	Out for Refill
08/22/05	MSF Control	—	—	Out for Refill

Inspected By: CO2. Brassily Ubedei
Incoming Officer - Print & Sign

COB. M. Appleby
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
08/22/05	MSF Control	—	—	Out for Refill

Inspected By: _____
Incoming Officer - Print & Sign

COB. Cynthia [Signature]
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
8/23/05	MSF Control	—	—	Out for Refill

Inspected By: _____
Incoming Officer - Print & Sign

COB. Cynthia [Signature]
Outgoing Officer - Print & Sign

DATE	LOCATION	PSI	SERIAL NUMBER	REMARKS
8-25-05	CENTRAL III Reg. 1	CASING GAUGE	—	Out for Refill
8/25-26/05	MSF Control	—	—	—

Inspected By: COB. M. Appleby
Incoming Officer - Print & Sign

A.M. [Signature]
Outgoing Officer - Print & Sign